

文献検索フォーム

Clinical Question 2-1 インプラント術前診断における Magnetic resonance imaging の役割	
Patient	インプラント術前患者
Exposure	解剖学構造の Magnetic resonance imaging による診断
Comparison	解剖学構造の Computed tomography による診断
Outcome	診断精度
担当者 田口 明	作成日 平成 18 年 8 月 23 日
MEDLINE <input checked="" type="checkbox"/> PubMed <input type="checkbox"/> IGM <input checked="" type="checkbox"/> OVID <input type="checkbox"/> その他 ( ) 検索式 1. Dental and Implant and Magnetic resonance imaging (22) (検索対象期間: 1996-2006 ) 2. Radionuclide Imaging/ or Diagnostic Imaging/ or Magnetic Resonance Imaging/ (182409) and Dental Implants/ or Dental Implantation, Endosseous/ (12510) limit to humans (33) (検索対象期間: 1966-2006 ) 3. Magnetic resonance imaging and mandibular canal (27) (検索対象期間: 1989-2006 )	
SYSTEMATIC REVIEW <input checked="" type="checkbox"/> Cochrane <input type="checkbox"/> Clinical Evidence <input type="checkbox"/> UpToDate <input type="checkbox"/> BestEvidence/ACPJC <input type="checkbox"/> EBMR 検索式 1. Dental and Implant (11) (issue, version, date: 3, 2006 ) 2. (issue, version, date: )	
医学中央雑誌 検索式 1. 歯科 and インプラント/AL and (MRI/TH or MRI/AL) (16) (検索対象期間: 2001-2006 ) 2. (検索対象期間: )	
その他 (guideline) Tyndall AA, Brooks SL. Selection criteria for dental implant site imaging: a position paper of the American Academy of Oral and Maxillofacial radiology. Oral Surg Oral Med Oral Pathol Oral Radiol Endod 2000; 89:630-7.	

文献リスト1 採用するもの (Included study)

1. Choel L, Last D, Duboeuf F, et al. Trabecular alveolar bone microarchitecture in the human mandible using high resolution magnetic resonance imaging. *Dentomaxillofac Radiol* 2004;33:177-82.
2. Eggers G, Rieker M, Fiebach J, Kress B, Dickhaus H, Hassfeld S. Geometric accuracy of magnetic resonance imaging of the mandibular nerve. *Dentomaxillofac Radiol* 2005;34:285-91.
3. Gray CF, Redpath TW, Smith FW. Low-field magnetic resonance imaging for implant dentistry. *Dentomaxillofac Radiol* 1998;27:225-9.
4. Hassfeld S, Fiebach J, Widmann S, Heiland S, Muhling J. Magnetic resonance tomography for planning dental implantation. *Mund Kiefer Gesichtschir* 2001; 5:186-92. (German)
5. Ikeda K, Ho KC, Nowicki BH, Haughton VM. Multiplanar MR and anatomic study of the mandibular canal. *AJNR Am J Neuroradiol* 1996;17:579-84.
6. Imamura H, Sato H, Matsuura T, Ishikawa M, Zeze R. A comparative study of computed tomography and magnetic resonance imaging for the detection of mandibular canals and cross-sectional areas in diagnosis prior to dental implant treatment. *Clin Implant Dent Relat Res* 2004;6:75-81.
7. Nasel CJ, Pretterklieber M, Gahleitner A, Czerny C, Breitenseher M, Imhof H. Osteometry of the mandible performed using dental MR imaging. *AJNR Am J Neuroradiol* 1999;20:1221-7.
8. Salvolini E, De Florio L, Regnicolo L, Salvolini U. Magnetic Resonance applications in dental implantology: technical notes and preliminary results. *Radiol Med (Torino)* 2002;103:526-9.
9. Zabalegui J, Gil JA, Zabalegui B. Magnetic resonance imaging as an adjunctive diagnostic aid in patient selection for endosseous implants: preliminary study. *Int J Oral Maxillofac Implants* 1990;5:283-7.

文献リスト2 採用しないもの (Excluded study)

1. Assael LA. The nonsubmerged osseointegrated dental implant. *Dent Clin North Am* 1998;42:203-21.
2. Baumann A, Schicho K, Klug C, Wagner A, Ewers R. Computer-assisted navigational surgery in oral and maxillofacial surgery. *Atlas Oral Maxillofac Surg Clin North Am* 2005;13:41-9.
3. BouSerhal C, Jacobs R, Quirynen M, van Steenberghe D. Imaging technique selection for the preoperative planning of oral implants: a review of the literature. *Clin Implant Dent Relat Res* 2002;4:156-72.
4. Bridcut RR, Redpath TW, Gray CF, Staff RT. The use of SPAMM to assess spatial distortion due to static field inhomogeneity in dental MRI. *Phys Med Biol* 2001;46:1357-67.
5. Chen HJ, Cheng MH, Lau YC. One-stage posterior decompression and fusion using a Luque rod for occipito-cervical instability and neural compression. *Spinal Cord* 2001;39:101-8.
6. Cross JJ, Pilkington RJ, Antoun NM, Adlam DM. Value of computed tomography and magnetic resonance imaging in the treatment of a calcifying epithelial odontogenic (Pindborg) tumour. *Br J Oral Maxillofac Surg* 2000;38:154-7.
7. De Batselier P, Reyckler H, Yousefpour A, Noel H, de Barsy C, Duprez T. Osteosarcoma of the mandible. *J Radiol* 1997 Jun;78:461-3. French.
8. DelBalso AM. An approach to the diagnostic imaging of jaw lesions, dental implants, and the temporomandibular joint. *Radiol Clin North Am* 1998;36:855-90.
9. Devge C, Tjellstrom A, Nellstrom H. Magnetic resonance imaging in patients with dental implants: a clinical report. *Int J Oral Maxillofac Implants* 1997;12:354-9.
10. Fan XD, Zhang ZY, Zhang CP, Zhu HG. Diagnosis and treatment of high-flow vascular malformation of the jaws. *Zhonghua Kou Qiang Yi Xue Za Zhi* 2005;40(3):191-4. Chinese.
11. Gahleitner A, Solar P, Nasel C, et al. Magnetic resonance tomography in dental radiology (dental MRI). *Radiologie* 1999;39:1044-50. German.
12. Gray CF, Redpath TW, Smith FW. Pre-surgical dental implant assessment by magnetic resonance imaging. *J Oral Implantol* 1996;22:147-53.
13. Gray CF, Redpath TW, Smith FW. Magnetic resonance imaging: a useful tool for evaluation of bone prior to implant surgery *Br Dent J* 1998;184:603-7.
14. Gray CF, Redpath TW, Smith FW, Staff RT, Bainton R. Assessment of the sinus lift operation by magnetic resonance imaging. *Br J Oral Maxillofac Surg* 1999;37:285-9.
15. Gray CF, Staff RT, Redpath TW, Needham G, Renny NM. Assessment of maxillary sinus volume for the sinus lift operation by three-dimensional magnetic resonance imaging. *Dentomaxillofac Radiol* 2000;29:154-8.
16. Gray CF, Redpath TW, Bainton R, Smith FW. Magnetic resonance imaging assessment of a

- sinus lift operation using reoxidised cellulose (Surgicel) as graft material. *Clin Oral Implants Res* 2001;12:526-30.
17. Gray CF, Redpath TW, Smith FW, Staff RT. Advanced imaging: Magnetic resonance imaging in implant dentistry. *Clin Oral Implants Res* 2003;14:18-27.
  18. Hirschmann PH. Magnetic resonance imaging: a possible alternative to CT prior to dental implants. *Br Dent J* 1998;184:600.
  19. Hubalkova H, Hora K, Seidl Z, Krasensky J. Dental materials and magnetic resonance imaging. *Eur J Prosthodont Restor Dent* 2002;10:125-30.
  20. Hubalkova H, La Serna P, Linetskiy I, Dostalova T. Dental alloys and magnetic resonance imaging. *Int Dent J* 2006;56:135-41.
  21. Imaizumi A, Yoshino N, Yamada I, et al. A potential pitfall of MR imaging for assessing mandibular invasion of squamous cell carcinoma in the oral cavity. *AJNR Am J Neuroradiol* 2006;27:114-22.
  22. Jacobs R. Preoperative planning for the placement of a single implant. *Ned Tijdschr Tandheelkd* 1999;106:187-90. (Dutch)
  23. Kress B, Nissen S, Gottschalk A, et al. High-resolution MR technique allowing visualization of the course of the inferior alveolar nerve along cystic processes. *Eur Radiol* 2003;13:1612-4.
  24. Kowatsch E, Feichtinger M, Zemann W, Karpf E, Karcher H. Extrasosseous schwannoma of the mental nerve clinically simulating intraosseous. *J Oral Pathol Med* 2006;35:517-9.
  25. Kress B, Gottschalk A, Anders L, et al. High-resolution dental magnetic resonance imaging of inferior alveolar nerve responses to the extraction of third molars. *Eur Radiol* 2004;14:1416-20.
  26. Liang X, Jacobs R, Lambrechts I, et al. Microanatomical and histological assessment of the content of superior genial spinal foramen and its bony canal. *Dentomaxillofac Radiol* 2005;34:362-8.
  27. Loney WW Jr, Termini S, Sisto J. Plunging ranula formation as a complication of dental implant surgery: a case report. *J Oral Maxillofac Surg* 2006;64:1204-8.
  28. Matteson SR, Deahl ST, Alder ME, Nummikoski PV. Advanced imaging methods. *Crit Rev Oral Biol Med* 1996;7:346-95.
  29. Myer CM 3rd. Growth of the pediatric skull base: assessment using magnetic resonance imaging. *Laryngoscope* 1995;105:1-10.
  30. Medina-Flores R, Germanwala A, Molina JT, Meltzer CC, Wiley CA. October 2003: a 59-year-old woman with sudden onset of diplopia. Listerial rhombencephalitis. *Brain Pathol* 2004;14:225-6.
  31. Nakasato T, Katoh K, Ehara S, et al. Intraosseous neurilemmoma of the mandible. *AJNR Am J Neuroradiol* 2000;21:1945-7.
  32. Nasel C, Gahleitner A, Breitenseher M, et al. Localization of the mandibular neurovascular

- bundle using dental magnetic resonance imaging. *Dentomaxillofac Radiol* 1998;27:305-7.
33. Nasel C, Gahleitner A, Breitenseher M, Czerny C, Solar P, Imhof H. Dental MR tomography of the mandible. *J Comput Assist Tomogr* 1998;22:498-502.
  34. Oliveira RJ. The active ear canal. *J Am Acad Audiol* 1997;8:401-10.
  35. Oliveira RJ, Hammer B, Stillman A, Holm J, Jons C, Margolis RH. A look at ear canal changes with jaw motion. *Ear Hear* 1992;13:464-6.
  36. Robert Y, Gaillandre L, Chaillet N, Francke JP. Anatomy of the auditory tube: CT scan and MRI aspect. *Ann Radiol (Paris)* 1992;35:444-52. French.
  37. Savane S, N'Dindin AC, N'Dindin GB, Kouame PA, Doyon D. Artifacts induced by dental reconstruction materials: the case of titanium. *Odontostomatol Trop* 2001;24:33-7.(French)
  38. Scarfe WC. A common sense approach to TMJ and implant imaging. *Ann R Australas Coll Dent Surg* 1998;14:48-61.
  39. Shafiei F, Honda E, Takahashi H, Sasaki T. Artifacts from dental casting alloys in magnetic resonance imaging. *J Dent Res* 2003;82:602-6.
  40. Thimineur M, Kitaj M, Kravitz E, Kalizewski T, Sood P. Functional abnormalities of the cervical cord and lower medulla and their effect on pain: observations in chronic pain patients with incidental mild Chiari I malformation and moderate to severe cervical cord compression. *Clin J Pain* 2002;18:171-9.
  41. Ulm C, Pechmann U, Ertl L, Gruber H, Solar P, Matejka M. Anatomy of the atrophic mandible. 1. The location of the mandibular canal in the atrophic mandible. *Z Stomatol* 1989;86:491-503. German.
  42. Verhoeven JW, Cune MS. Radiographic planning and the evaluation of implant treatment. *Ned Tijdschr Tandheelkd* 2003;110:113-9. (Dutch).
  43. Westesson PL. Temporomandibular joint and dental imaging. *Neuroimaging Clin N Am* 1996;6:333-55.
  44. Wiltfang J, Merten HA, Ludwig A, Engelke W, Arzt T. Roentgenologic, endoscopic and ultrasound evaluation of the maxillary sinus after sinus lift with simultaneous endosseous implantation. *Mund Kiefer Gesichtschir* 1999;3 Suppl 1:S61-4.
  45. Yamada T, Kitagawa Y, Ogasawara T, Yamamoto S, Ishii Y, Urasaki Y. Enlargement of mandibular canal without hypesthesia caused by extranodal non-Hodgkin's lymphoma: a case report. *Oral Surg Oral Med Oral Pathol Oral Radiol Endod* 2000;89:388-92.
  46. PeterssonArne. TMD とインプラントにおける画像診査について. *The Quintessence* 2001 ; 20 : 2463-2470.
  47. 石川廣, 泉孝吉, 鈴木和夫, 他. 歯科材料に対する MRI の影響. *医科器械学* 2005 ; 75 : 219

48. 伊藤悠, 楠幸博, 畠山大二郎, 山下知巳, 安岡忠, 柴田敏之. 顎関節の人工中間挿入物に歯性感染が波及し難治性となった頬部蜂窩織炎の1例. 日本口腔外科学会雑誌 2005 ; 51 : 176-179.
49. 泉孝吉, 石川廣, 鈴木和夫, 他. 歯科材料に対する MRI の影響(会議録)医科器械学 2005 ; 75 : 675-676. 今村英之, 松浦尚志, 都築尊, 他. 下顎骨大臼歯部における下顎骨断面形態の MRI 上での精度. 日本口腔インプラント学会誌 2003 ; 16 : 158-159.
50. 今村英之, 松浦尚志, 右近晋一, 他. インプラント術前画像診断における CT, MRI 画像上での下顎管の描出能及び下顎断面形態の精度. 日本口腔インプラント学会誌 2004 ; 17 : 109.
51. 佐藤博信, 石川昌嗣, 松隈敬, 他. インプラント臨床に於ける MRI 診断の可能性について. 日本口腔インプラント学会誌 2000 ; 13 : 597.
52. 佐藤博信, 石川昌嗣, 松隈敬, 他. MRI 診断のインプラント臨床における有用性について. 日本口腔インプラント学会誌 2001 ; 14 : 148.
53. 田中譲治. 「MACS System」の特徴 位置決め機構付き MRI 対策磁性アタッチメント. 日本歯科評論 2002 ; 712 : 72-7.
54. 田中譲治, 星野和正, 鳥居秀平, 他. インプラントにおける磁性アタッチメントの応用(第3報) 各種インプラント対応オーバーデンチャー用キャップ式磁性アタッチメント (MACS)の検討. 日本口腔インプラント学会誌 2000 ; 13 : 661-671.
55. 松浦秀樹. 各種生体材料の MRI 画像に与える影響に関する研究 0.5, 1.5 及び 3.0 Tesla の MRI を用いた artifact 定量評価. 岩手医学雑誌 2002 ; 54 : 119-126
56. 三森修. 歯科用金属が MR 画像に及ぼす影響. 日本歯科評論 2003 ; 730 : 165-172.
57. 山城光明, 田中譲治, 金田隆, 星野和正, 小澤幸重. インプラントにおける磁性アタッチメントの応用 MRI への影響の検討. 日本口腔インプラント学会誌 2001 ; 14 : 189-196
58. 山城光明, 田中譲治, 金田隆, 星野和正, 鳥居秀平, 小澤幸重. インプラントにおける磁性アタッチメントの応用 MRI への影響の検討. 日本口腔インプラント学会誌 2001 ; 14 : 90.
59. 山城光明, 金田隆, 田中譲治, 南学. MRI のメタルアーチファクト防止に有用なインプラント用磁性アタッチメントの検討. 日本画像医学雑誌 2000 ; 19 : 204.